

TOPZinc MAX



110 litres

1000 litres

TOPZinc MAX

GENERAL CHARACTERISTICS

TOP ZINC MAX REPRESENTS A LIQUID PHYTOSTIMULANT METICULOUSLY CRAFTED FOR OPTIMAL ABSORPTION AND DILUTION, ENSURING THE PLANT FULLY UTILIZES THE PRODUCT. TAILORED FOR THE VEGETATIVE STAGE OF CROPS, THIS PLANT NUTRITION SOLUTION DELIVERS ESSENTIAL NUTRIENTS PRECISELY WHEN THE PLANTS REQUIRE THEM. THE INCLUSION OF CHELATED ZINC, COBALT AND MOLYBDENUM ENHANCES ROOT DEVELOPMENT AND IS ACKNOWLEDGED FOR ITS ROOTING BENEFITS. DESIGNED TO BE A COMPONENT OF A COMPREHENSIVE FERTILIZER PROGRAM, IT SEAMLESSLY INTEGRATES WITH HERBICIDES, INSECTICIDES, AND FUNGICIDES. NOTABLY, IT ELIMINATES THE NECESSITY FOR ADDITIONAL ADJUVANTS.

GUARANTEED ANALYSIS:

N	9.00% W/V
P	2.60% W/V
S	1.10% W/V
ZN	2.75% W/V
CO	1.20% W/V
MO	2.90% W/V
B	0.06% W/V

MIXED MINERAL LIQUID FERTILISER.
DENSITY: 1.2 GR/ML

LATINA AGRO IND E COM FERTILIZANTES LTDA.
RODOVIA PR-317, 8001
PQ. INDUSTRIAL - MARINGÁ/ PR - CEP 87065-005
FONE (44) 3046-2600
CNPJ 06.287.157/0001-26
INSCR. ESTADUAL 90.311.282.40
REG. DO ESTAB. NO MAPA Nº EP-PR-000676-9

Foliar Fertiliser
Shake it before use.

RECOMMENDATIONS FOR USE:

FOLIAR RATE: 300 ml/ha

FOR GROUND APPLICATION USE WATER VOLUME OF 70 TO 100 L / HA AND FOR AERIAL APPLICATION OF 15 TO 40 L / HA.

PRECAUTIONS: • KEEP IN A VENTILATED, COVERED AND DRY PLACE • DO NOT LEAVE THE PRODUCT EXPOSED TO THE SUN • AVOID APPLYING WITH EXCESSIVE WIND • PRODUCT UNSUITABLE FOR FEEDING HUMAN AND ANIMAL • AVOID CONTACT WITH EYES AND INHALATION • KEEP OUT OF REACH OF CHILDREN AND ANIMALS • SEARCH A DOCTOR IF SWALLOWED • APPLICATION MODE ACCORDING TO AGRICULTURAL CONSULTANTS

CAUTION!

KEEP OUT OF REACH OF CHILDREN
SEE THE PRECAUTIONARY STATEMENT
BELOW



**PRECAUTIONARY
STATEMENTS
CAUTION**



GUARANTEED BY:
SPRAYTEC AUSTRALIA PTY LTD
ABN: 95633431964
U1/8 EMPLACEMENT CRES, HAMILTON HILL,
WESTERN AUSTRALIA, 6163.
WWW.SPRAYTECGLOBAL.COM/AUSTRALIA/
PH: 1300 422 501
EMAIL: ADMIN.AUSTRALIA@SPRAYTEC.COM

